

RADIANTECHNOLOGIES
Bio Quantum Technology /22

This principle of electrical awareness, through sensation, is not limited to animal life alone. It is equally characteristic of the mineral and vegetable kingdoms. It extends to the most truthful electronic particle and the most powerful galaxy. Not only is every particle in every mass electrically aware of its purpose, but every particle in the entire universe reacts in response to electrical messages being sent elsewhere in the universe. This physical universe is controlled solely by electrical sensation which is the measure and balance of the even more magnetic Light, centering all things.

Walter Russell «THE SECRET OF LIGHT «

Devices

2022

GENERATOR

+

COIL

+

ACCESSORY

=

**COMPLETE
DEVICE**




The generator is the part of the oscillator that converts the local energy into negatively charged high voltage ready to resonate the coils.

The primary coil resonates with the emitted charge and gives it the potential, adjusting the overall frequency of the oscillator.

The secondary coil amplifies the potential.



The accessory is an electrode or tertiary coil that transfers bio energy in treatment.




GENERATORS

1 GENESIS 2 GEO

GENESIS




Resonance frequency in the band from 750khz to 3mhz



Fast and safe connection poles




Low power consumption 1110/220 VAC 120w max



Durable Tungsten gap




Oversized tuning dial for fine tuning




Input power control


When cells are irradiated with the correct polarized electromagnetic field (which has a wide range of frequencies), each cell will pick up a frequency and assimilate the energy of that field. This has a tremendous stimulating and harmonizing action on cells and thus interacts with surrounding tissues and organs.



GEO




Resonance frequency in the band from 750khz to 3mhz



Fast and safe connection poles




BLow power consumption 110/220 VAC 60w max



Durable Tungsten gap



Oversized tuning dial for fine tuning



input power control



Mounted in an airtight tactical briefcase against humidity and dust.



Possibility of OFF GRID power supply with 12vdc batteries

01

NEGATIVE CHARGES

It is known that all living beings contain electrical charges that form the so-called biofield. This field is closely linked to the health of our body. Scalar waves of negative charges are bioavailable. We literally recharged the batteries.

02


IMPLOSION

The fullness of the negative charges in interaction produce compaction that we could call negative entropy. Negative entropy has the quality of creating coherence and structure. Attributes that biology loves.

03

POLARIZATION

As terrestrial beings our healthy polarity indicates magnetism in the feet and radiation in the head. The rigor of our current era of telecommunications and bad habits in the home cause loss or disorder of magnetic fields. Scalar waves allow us to acquire the correct polarity in a few minutes. Polarization and repolarization.






COILS


1 NIKOLA TESLA 2 PAUL MEARIE OUDIN 3 PLASMA
4 MWO LAKHOVSKY

NIKOLA TESLA

**Magnifying resonator antenna,
for cellular radio oscillators,
violet ray and electroculture,
based on the original model
Nikola Tesla**



Artur Lang / 2022



STATE OF ART


*High density and
high insulation mica
coating, with unique
art on each piece.
The perfect pairing
between art and
science*



PAUL MARIE OUDIN

*Resonant transformer
antenna, for cellular
radio oscillator, violet
ray and electroculture
based on the original
model by Paul Marie
Oudin.*

Artur Lang / 2022



System that includes a primary coil and an Oudin-style secondary coil equipped with 360 tuning and crowned by a capacitive sphere.



PLASMA

*Resonant transformer
antenna and vacuum
tube, for radio
oscillator, violet ray
and electrocution,
with emission of high
spin light particles.*

Arthur Lang / 2022



PLASMA / MATERIA RADIANTE


The term was coined by the physicist Irving Langmuir in 1928 to define that ionized gas endowed with high electrical conductivity so abundant in the interplanetary, interstellar and intergalactic medium, as well as in stars and solar winds.


Also called the fourth state of aggregation of matter (after the solid, liquid and gaseous states), on Earth there is plasma naturally in certain layers of the atmosphere (magnetosphere and ionosphere) as well as in auroras and polar winds, lightning and in the so-called fire of San Telmo

This beautiful super-luminous plasma beacon delivers healthy energy to those present, providing the balance and coherence required by our organisms and cleaning the space of harmful radiation and pathogens.

MWO

TX and TR coil set with multi-metal ring set and tunable primary common for the legendary multi-wave cellular resonator system based on the original Georges Lakovsky model.






According to Lakhovsky, the nucleus of a living cell can be compared to an oscillating electrical circuit. This nucleus consists of tubular filaments and chromosomes made of insulating material and filled with a conductive fluid containing all the mineral salts found in seawater. These filaments constitute tiny oscillating circuits endowed with capacity and inductance and capable of oscillating according to a certain frequency. They are comparable to the circuits, coils, and windings of radio receivers.

By inductance, he means that radio electricity can be induced or put into every cell in your body. By capacity he means that each cell in the body can hold a charge of radioelectricity, just as your car battery can carry a charge of electricity. In the case of your car battery, charging is done through cables or battery cables. In the case of your body, the charge is generated through invisible but very real radio waves. These can travel unhindered through any solid object!

"The living cell can thus play the role of transmitter or receiver of extremely short radio waves that give rise to high-frequency currents in the circuits of the cell nucleus. Now, the vibration of an oscillating circuit is maintained by the energy radiated.

Health is equivalent to the oscillatory balance of living cells, while disease is characterized by an oscillatory imbalance. This general principle has given rise to a large number of experiments that span the entire field of biology. Plants, animals, and humans have all been successfully treated by applying Lakhovsky oscillating circuits.



ACCESSORIES

1 PANCKAKE 2 ELECTRODOS 3 SLIM MWO
4 RADAR 5 HEXACUP

PANCAKE

This pad-shaped flat bifilar helical coil is the general accessory that we can use alone or in pairs for bipolar therapy.



Synthetic leather upholstery.
For conservation and easy cleaning.

High density neoprene
For 100% safe isolation.

Printed circuit.
Contains our helical coil.

Wood base.
To provide resistance.

HIGH FREQUENCY ELECTRODES

*Set of 7 electrodes with its
basic electrode holder.*

*These vacuum ampoules
with neon gas rarefaction
will help us to locate the
energy in specific areas of
the body and its different
forms give us the
ergonomics for it.*



SLIM MWO

Set of 24k gold plated rings to convert any of our equipment into the legendary multi-wave cellular resonator system based on the original Georges Lakovsky model.





RADAR

Tertiary coil for self-inductive constitutional therapy ideal for the treatment of cerebral, ophthalmological areas and laryngeal. Balances the brain synapse, regulates the nervous system and encourages the meditative state.







HEXA CUP


Set of 6 vacuum cups traditionally used in ancient medicines such as Chinese. These borosilicate glass cups, in turn, are vacuum tubes with rarefied neon gas, so this treatment combines super light therapy with cupping, enhancing this millennial practice.





DESCRIPTION AND PRICES

OSCILLATORS CELLULAR GENERATORS /22



GENESIS

High frequency and negative charge generator, used in electrotherapy at the end of the 18th century. This desktop model can be powered with 110/220 VAC and has three terminals, 2 for the outputs that must be connected to a set of coils, of those mentioned later in this catalog and 1 for the ground connection. This robust equipment is designed to last and beautify, in addition to its adjustments with modern components that ensure formidable analog performance, mechanical switches and a large dial to adjust the distance of the gap in real time.


OSCILLATORS CELLULAR GENERATORS /22



GEO

This generator fulfills the same functions and contains the same architecture and power as its brother Genesis, but it has an incredible saving of 50% in its energy consumption. It is also prepared for field practices, being mounted in a high-impact tactical suitcase and the possibility of being powered (OFF GRID) with 12v batteries.

OSCILLATORS CELLULAR COILS /22



1 NIKOLA TESLA


Nikola Tesla style primary coil and secondary coil assembly. Mounted on dialectical supports, the secondary coil floats in the heart of the primary coil, being wirelessly induced by it. This set has a formidable output force and generates an ideal self-resonance phenomenon. to reach the necessary frequency levels and make the cells resonate with the bio charges produced by our generators.



2 PAUL MARIE OUDIN

This marvelous work of craftsmanship honors the glory of electrotherapy that generated fascination in 18th century Paris. Paul Marie Oudin, a colleague of Jaques Arsene D'Arsonval, invented this system that contains a manual selector capable of finding the maximum available resonance, in any body connected to the upper radiating terminal of the coil. A versatile tool that will allow the practitioner, either a generous flow of resonant energy, or a gentle vibration, thus being able to perform the most diverse specialized practices.

OSCILLATORS CELLULAR COILS /22



3 PLASMA

This piece of engineering combines the properties of the described "Paul Marie Oudin" model with those of the high-spin luminous plasma. Its core, crowned by a thick, rarefied borosilicate vacuum tube with innocuous neon gas, favors the exchange of energy in the fourth state of aggregation of matter, increasing its nesting in the natural environment.




4 GEORGES LAKHOVSKY

These legendary multi-wave cellular resonator antennas propose a contact free session with accessories. The practitioner stands between the two antennas, which are transmitting from one to the other an ionic wind resonant with the biology of the body.

OSCILLATORS CELLULAR MODELS /22

All sets include "PANCAKE " accessory (flat bifilar Tesla model coil)



1 TESLA /GENESIS
4600 \$USD



2 TESLA /GEO
5000 \$USD



3 OUDIN /GENESIS
6300 \$USD



4 OUDIN /GEO
6700 \$USD



5 PLASMA /GENESIS
7600 \$USD

(GIFT SET OF 7 HIGH FREQUENCY ELECTRODES
WITH ELECTRODE HOLDER)



6 PLASMA /GEO
8000 \$USD

(GIFT SET OF 7 HIGH FREQUENCY ELECTRODES
WITH ELECTRODE HOLDER)



7 LAKHOVSKY /GENESIS
8100 \$USD




8 LAKHOVSKY /GEO
8500 \$USD

Shipping costs, import taxes and
VAT are separate.

OSCILADORES CELULARES ACCESORIOS /22


All accessories include
connection cables and tripods
in case of being required



1 PANCAKE
120 \$USD



2 SEVEN HIGH FREQUENCY
ELECTRODES
320 USD



3 SLIM MWO
900 \$USD



4 RADAR
920 \$USD



5 HEXACUP
1160 USD

Shipping costs, import taxes and VAT are separate.



BENEFITS

This technology is a highly effective, natural and safe health solution.

Based on Nikola Tesla's original discoveries "harnessing the forces of nature in the service of humanity", our devices generate a field of pure life force energy - a natural and powerful environment for the body's innate healing intelligence to be supported in an optimal way.


At the center of every cell is Life Force Energy. Not only is it present, but it is a vital force of nature essential for human cells and the cells of all biological systems to perform their functions optimally. Negatively charged energy has been recognized in both ancient cultures and modern scientific communities as a vital substance innate in all living things and available at various levels in our environment.

Life Force Energy can be thought of similar to oxygen in that it is a naturally occurring substance that our cells use every day and need in specific amounts. However, if you need to use oxygen for therapeutic purposes, it must be concentrated and delivered to your system in much larger amounts than is available in the everyday atmosphere. The same goes for life force energy. Our bodies constantly produce and use energy, although sometimes this level of concentration is not enough to provide our cells with the optimal level of support as we age or when we become ill or injured. In other words, when we lack life force. These devices create their own environments of pure life energy, offering a much higher concentration of this natural healing force than is available in everyday environments. Once a person or pet is within this potent life energy field, the body can absorb this life energy at will and as needed, just like it does every day, just know there is so much more available for you to do that can make the cells of the body benefit.

Once the body receives enough life force energy to work, the cellular self-repair mechanisms can begin to kick in much faster and more deeply than was previously possible.

When you use a device, you literally enter a new environment in which the cells of your body can be nourished, providing the body with the increased levels of energetic support needed to activate self-healing. We rely on the body's innate intelligence to prioritize what to do with this new level of available vital energy rather than sending specific frequencies through the body at specific times. These devices generate a constant sphere of pure life energy that offers a highly concentrated healing environment for continuous cellular support. Your body is the healer, we are simply offering more of what the cells own healing abilities need to do their best work.

As you support your system daily with this optimal environment for wellness, your energized cells can repair damaged or aging organs, allowing for regained vitality, significant pain relief and much more.





BENEFITS

This is the big question, isn't it? What health benefits are possible by exposing the human body to beneficial bio energy frequencies?

Life is fundamentally based on energy, and therefore all life has a number of structures capable of holding a charge.

- * There are many crystal structures in each cell wall, all capable of holding a charge

- * There are many liquid crystal structures in the collagen network that comprise the entire space between cells, also capable of holding a charge.

- * Eliminate and nullify the effects of man-made frequencies (60 cps) on the human body

- * Increases the energy level of every cell in the body to the ideal range of 70-90 millivolts.

- * Increase the covalent energy level of each hydrogen atom in the body as verified by spectrographs. This is significant because covalent hydrogen bonds are what hold your DNA together. In other words, the correct scalar frequencies can protect your DNA from damage.

- * Improve the permeability of the cell wall thus facilitating the entry of nutrients into each and every one of the cells and the elimination of waste from each and every one of the cells.

- * Increase the body's overall energy levels as a result of increased cellular energy for trillions of cells.

- * Cleanses the blood by improving chylomicron levels (protein/fat particles that float in the blood) and triglyceride profiles and fibrin patterns.

- * Improves immune function by up to 149%, as shown in laboratory studies.

- * Improve mental focus as evidenced by increased amplitude of EEG frequencies.

- * Balancing the two hemispheres of the brain, again as measured by EEG tests.

- * It works as an antidepressant as it inhibits the uptake of norepinephrine by PC12 nerve cells.



PRACTICES

It is very important, before starting the practice, to make a "Check List" making sure that the following points are applied.



- 1 SPACE PREPARATION**
It is important to place the device on a table (elevation from the ground). This can be plastic, wood or glass, but in no way metallic.



- 2 PHYSICAL GROUND**
This system requires a physical earth connection, intended only for the device, which must be installed with the help of an electrician or trained personnel. And we must connect it to its intended terminal in the device, without crossing any cable of the machine.



- 3 PLUG**
We will connect the device to the local network or to the stack in the case of the GEO model.



- 4 COIL CONNECTION**
We will connect our device to the coil at its radiant (White/blue) and magnetic Red terminals. It is very important that the cables do not cross each other or any other. The connection must be firm and in no way can we turn on the device without first checking this point.



- 5 FITTING CONNECTION**
We will firmly connect our accessory to the upper terminal of our Oudin tower or to one of the two terminals of the secondary bipolar Tesla coil.



- 6 SWITCHED ON**
Once the previous points have been reviewed, first we turn on the current input switch, Watching the fans rotate, we will adjust the spark jump distance with the dial until there is a small separation of a hair's length, and turn on the high voltage discharge switch.



- 7 FLOW ADJUSTMENT**
Once the machine turns on, we will adjust the jump distance with the dial, until the machine sounds stable and produces a sound similar to escaping gas, not sharp like a mosquito (too closed) or crackling and interrupted (too open).
In the same way we will adjust the resonance in the case of the Oudin tower, through the lateral selector, finding the ideal amount of energy, depending on the therapeutic modality.



- 8 CLEANING AND MAINTENANCE**
It is important to keep the spark discharge area clean of nitrous oxide (whitish or yellow powder), for this we will remove it periodically, with the help of a cotton cloth and if necessary using alcohol, but in no way let's use fatty products. We will check the alignment of the discharge tips and, if necessary, correct it with the help of small tweezers. It is also important not to use the machine in high temperatures or in extremely humid or corrosive environments.



To understand the simple beauty of this practice, we highlight the fundamental knowledge of the attraction of opposites. In this case, radiant electrical charges of a negative nature will always be attracted by the magnetism of the ground, the mass and the surfaces.

UNIPOLAR PRACTICE



In this basic electrotherapeutic practice, the patient places the accessory connected to the upper Radiant terminal of the Oudin tower or to one of the terminals of the Bipolar Tesla coil. Making sure not to touch the ground using a stretcher or a wooden or preferably plastic chair, lifting the feet in the latter case.

This therapy allows us to prolong the exposure time, generating a more dilated tissue heating curve, ideal for general therapies.

BIPOLAR PRACTICE




In this second basic electrotherapeutic practice, the patient places the radiating accessory and another accessory connected to the ground.

The affected area will be placed between the two accessories. In case of not having another accessory besides the radiant, we can place bare feet on the floor.

In this way we will increase the heat in a controlled manner (between one degree and one and a half degrees), generating an abrupt heating curve, shortening the session time and it is ideal for localized treatment.

LAKHOVSKY'S PRACTICE




In this bipolar practice, the patient is placed between two multi-wave resonating antennas. The height of the antennas will be over the lower, middle or upper part of the body, depending on the disorder to be treated. These should be as close as possible to each other but between 20 and 30 cm maximum proximity to the irradiated body.

You can receive the practice, standing, sitting (preferably with bare feet) or lying down, but in the latter case, it will be necessary to connect a contact accessory to the ground and place it, either in the most affected area, or in the sacrum for a general reception.

This is an ideal therapy to treat both general and localized disorders.

PRACTICE OF THE VIOLET RAY




In this bipolar practice, specialized vacuum electrodes are used for this therapy, which are rarefied with neon gas, argon, helium, among others.

The electrode consists of a cap or electrode holder which is connected to an oscillator at its radiating terminal, belonging to the output of the secondary winding.

We will apply the electrode on the skin taking into account that the sharpest rays appear at a distance from it. In sensitive, humid, or internal areas of the body, we must attenuate the output power, and or lift the feet off the ground to reduce the flow of energy from our electrode. In the same way, we must apply it in continuous movement and non-greasy moisturizing agents or conductive gels can be applied, avoiding to the greatest extent generating dryness in the skin.

This is an ideal therapy to treat localized disorders even though there are manipulations that affect the organism in general.

RADAR PRACTICE




In this unipolar or bipolar practice, the patient slides the radar towards his head, holding it with both hands (so as not to hit himself with it), previously adjusting the most comfortable height.

A second person will assist the installation and turn on the equipment.

This therapy, even though it is localized, also affects general disorders, especially those related to the nervous system.

RADIANT CUPPING PRACTICE




This innovative bipolar practice uses the principles of cupping, adding the benefits of bio charged plasma.

The cupping practitioner places the cupping cups over the desired area and presses on the vacuum hand pump. Once the cups are properly placed, the therapist turns on the machine. After the time designated for the given therapy, the machine turns off and the suction cups will turn off.

This is an ideal therapy to treat both general and localized disorders. depending on the discipline practiced by the therapist.

RADIANT MASSAGE PRACTICE




This innovative bipolar practice uses the masseur as a magnetic terminal, which attracts the energy that generally flows through his patient, to the place where he rests his hands or the electrode that he holds with it, generating added heat by the exchange, which increases as decreases the contact area.

It is remarkable that the masseur must proceed with graceful agility, at the moment of making contact and vice versa, since the slow approach creates rays that produce unwanted sensations.

Increasing the effect and protecting the therapist from copying information it is suggested to use a growing bracelet.

This is an ideal therapy to treat both general and localized disorders. depending on the discipline practiced by the therapist.

CRYSTAL WATER



Radiating the water for a period of 5 to 20 min. we can create fine structures in the water, generating a crystalline state in it that produces better hydration in its consumption.



All our equipment is assembled by hand, manufactured in the studio with CNC technology and equipped with high-end components, some manufactured exclusively under our technical characteristics.

Designed, assembled and enriched one by one with the genuine art of the author, who creates a unique work in each one of them.

This is a personalized service which will be carried out in 40 business days after receiving the total amount.

The equipment has a 6-month warranty that will cover its repair in the event of a manufacturing fault, and technical service at a cost after the end of the warranty.

(No situation is irreparable and our mission is that they last over time, there is no planned obsolescence)



**INFO AND
SALES
WHATSAPP**

Rigel Neri Gonzalez +52 7772598350

Artur Lanz Faura +52 9981553400